HUMAN RECOVERED PLASMA

CATALOG NUMBER: SD1020 LOT NUMBER: TBD

Storage: 2-8°C Source: Human
Fill: Single donor(s) Preservative: None
Expiration Date: See Product Statement below Form: Liquid

Product Performance Specifications

	Bleed Number	Bleed Date	Volume(mL)
1	Donation Specific*	*	*

PRODUCT STATEMENT:

There is no guideline to determine the expiration date for liquid recovered plasma, but we have determined that 1 year from the bleed date is the most appropriate date. However, it is the responsibility of the customer to determine the appropriate expiration date for intended use of the product.

TESTING:

Testing has been completed for each donation and found to be Non-reactive or Negative for HBV (NAT), HIV-1 (NAT), HCV (NAT), WNV (NAT), Zika and for antibodies to HIV-1/2, HCV, HTLV I/II, HBc, HBsAg, and Syphillis. Each donor is tested for antibodies to T. Cruzi once.

CAUTION:

In-Vitro use only. Products are intended for research or manufacturing of unlicensed, non-injectable diagnostic products not subject to license by the FDA under Section 351 of the Public Health Service Act. This material was tested as stated above in the testing section. Nevertheless, products of human origin should be considered potentially infectious and handed according to universal precautions. The safe and responsible handling of the products listed above is the responsibility of the customer. We accept no liability for injury or illness resulting from the use and/or handling of the product. The customer assumes responsibility for the proper disposal of all materials in accordance with Federal and State regulation.

WARRANTY:

Golden West BioSolutions, LLC makes no claim or warranty that this product will perform or is suitable for use in a customer's application. It is the customer's responsibility to evaluate and qualify the product's suitability for the customer's intended use or application. Furthermore, this product is a biological material and lots may vary so it is the customer's responsibility to determine if an evaluation of each lot is warranted.

