

## OFF THE CLOT HUMAN SERUM, AFP FREE

**Catalogue Number:** SD1060.09

**Lot Number:** Lot Specific

Source: Human

Perservative: None

Storage: -20° C

Fill: Single Donors

### Product Performance Specifications

	Bleed Number	Bleed Date	Age	Sex	Race	Volume (mL)
1	Donation Specific*	*	*	*	*	*

#### NOTE:

This material was collected under an IRB approved protocol.  
Sensitivity for Test Kit is 0.134 ng/mL.

#### TESTING:

This material has been tested for HIV 1/2, HIV-1 (NAT), HBsAg, HBV (NAT), HCV, HCV (NAT), WNV (NAT), Chagas (T. Cruzi)\*, and RPR by FDA approved methods and found to be NON-REACTIVE. \*Each donor has been currently or previously tested as negative/nonreactive for Chagas.

#### CAUTION:

Products are intended for research or manufacturing of non-injectable products only. The safe and responsible handling of the products listed above is the responsibility of the customer. We accept no liability for injury resulting from their use or handling. The customer assumes responsibility for the proper disposal of all materials in accordance with proper Federal and State regulations.

#### WARRANTY:

Golden West BioSolutions, LLC makes no claim or warranty that this product will perform or is suitable for use in a customer's application. It is the customer's responsibility to evaluate and qualify the product's suitability for the customer's intended use or application. Furthermore, this product is a biological material, and lots may vary so it is the customer's responsibility to determine if an evaluation of each lot is warranted.





